

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/33




FIG. 1
(Prior Art)

2/33




FIG. 2
(Prior Art)

3/33





FIG. 3
 (Prior Art)

4/33



1. DEVELOP STABLY TRANSFECTED CELL
LINES CARRYING THE OVEREXPRESSED
GFP-TAGGED PROTEIN

2. FLUORESCENT IMAGING AND
PATTERN RECOGNITION

2. INFER PROTEIN ACTIVITY FROM
LOCATION

ASSAY TIME ~ MINUTES

FIG. 4
(Prior Art)

5/33




FIG. 5A-1




FIG. 5A-2

6/33




FIG. 5B

7/33







FIG. 5C

8/33



9/33




FIG. 6B

10/33




FIG. 6C

11/33




FIG. 7A




FIG. 7B

OR




FIG. 7C

0990413-021502

12/33

Microinjection




FIG. 8A

**Simple Lipid-Assisted
Microinjection**




FIG. 8B

Optoinjection




FIG. 8C

13/33




FIG. 9A




FIG. 9B




FIG. 9C

14/33




FIG. 10B

FIG. 10A

15/33




FIG. 11

16/33




FIG. 12A

17/33




FIG. 12B

18/33




FIG. 13

19/33

Fluorescence Imaging




FIG. 14A

Patch Clamp




FIG. 14B

21/33




FIG. 15B




FIG. 16

24/33




FIG. 18

28/33




FIG. 22

09990413.021502

20/33




FIG. 15A

23/33




FIG. 17

25/33




FIG. 19

26/33




FIG. 20

27/33

•DIAGNOSTICS AND PROGNOSTICS






FIG. 21




Genomics

FIG. 23A



Proteomics

FIG. 23B



Signaling

FIG. 23C

30/33





FIG. 24

31/33



COMPUTER-CONTROL OF MICROCOLUMN ALIGNMENT
OVER CELLS, LYSIS, AND/OR OTHER STEPS.

FIG. 25

32/33

TABLE I

**INFLUENCE OF THE
INTRACELLULAR ENVIRONMENT**

CELLULAR PROPERTY	IS IT THE SAME AFTER REMOVAL FROM THE CELL?
1. DNA, RNA (SEQUENCE, QUANTITY)	YES
2. PROTEIN (IDENTITY, CONC.)	LIKELY
2. ACTIVITY	USUALLY NOT

FIG. 26A-1

TABLE II

**CELLULAR PROPERTIES ARE
DISTINGUISHED BY THEIR TIMESCALES**

DNA & RNA "GENOMICS"	MINUTES - YEARS
PROTEIN "PROTEOMICS"	SECONDS - HOURS
ACTIVITY "SIGNALING"	MILLISECONDS - SECONDS

FIG. 26A-2

33/33

TABLE III

**A SAMPLING OF
AVAILABLE TECHNOLOGIES**

<i>FIELD</i>	<i>PROPERTY</i>	<i>TECHNOLOGIES</i>
1. GENOMICS	DNA, RNA	DNA ARRAYS
2. PROTEOMICS	PROTEIN IDENTITY & CONC.	PROTEIN GELS/ARRAYS MASS SPEC.
3. SIGNALING	ACTIVITY	GFP - BASED METHODS CRITICAL NEED

FIG. 26A-3